

L Number	Hits	Search Text	DB	Time stamp
-	20	((queue with destination\$1) same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:00
-	3	((709/310,313,314,315).CCLS.) & (path with destination with queue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:22
-	3	((709/310,313,314,315).CCLS.) & (path with destination with queue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:28
-	4	((709/310,313,314,315).CCLS.) & (path with destination same queue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:23
-	4	((709/310,313,314,315).CCLS.) & (destination with queue\$1 same path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:24
-	25	((709/310,313,314,315).CCLS.) & (destination with queue\$1 & path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:24
-	19	((709/310,313,314,315).CCLS.) & (path with queue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:38
-	0	((709/310,313,314,315).CCLS.) & (path with queue\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:29
-	14	((709/310,313,314,315).CCLS.) & (destination with queue\$1 with (id or identi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:57
-	123	((709/310,313,314,315).CCLS.) & (queue\$1 with (id or identi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:46
-	5	((709/310,313,314,315).CCLS.) & (queue\$1 with (id or identi\$6) same path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:46
-	58	((709/310,313,314,315).CCLS.) & (queue\$1 near2 (id or identi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:19
-	2	((709/310,313,314,315).CCLS.) & (queue\$1 near2 (id or identi\$6) same path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:53
-	27	((709/310,313,314,315).CCLS.) & (queue\$1 near2 (id or identi\$6) & class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:53

-	3	((709/310,313,314,315).CCLS.) & (queue\$1 near2 (id or identi\$6) same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:53
-	58	((709/310,313,314,315).CCLS.) & (queue\$1 near2 (id or identi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:43
-	17	(destination with queue\$1 with (id or identi\$6) same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:58
-	2	(destination with queue\$1 with (id or identi\$6) same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:00
-	0	(pointer with queue\$1 with (id or identi\$6) same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:00
-	0	(pointer with queue\$1 with destination same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:00
-	0	(pointer with queue\$1 with destination & class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:01
-	1	(pointer with queue\$1 with destination & object).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:01
-	2	((pointer with queue\$1 with destination) .ab.) & (class or oreinted)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:01
-	36	(pointer with queue\$1 with destination) .ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:05
-	23	(pointer with queue\$1 same path) .ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:05
-	0	(pointer with queue\$1 same path & class) .ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:05
-	23	(pointer with queue\$1 same path) .ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:15
-	1	(queue with (path near2 object)) .ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:16

-	7	(queue with (path near2 object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:18
-	18	(queue same (path near2 object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:23
-	9	(queue with indicat\$3 & client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:26
-	21	(queue with indicat\$3 & class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:41
-	30	(queue with table & class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:42
-	1	(queue with table with (id or identi\$6) & class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:42
-	1112	(queue\$1 with (id or identi\$6)) .ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:43
-	20	(queue\$1 with (id or identi\$6) same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:44
-	44	(queue\$1 with (id or identi\$6) same client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:01
-	176	(queue\$1 with (id or identi\$6) with path).	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:01
-	176	(queue\$1 with (id or identi\$6) with path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:01
-	6	(queue\$1 with (id or identi\$6) with path) same class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:06
-	0	(queue\$1 with (id or identi\$6) with path) same (object near2 oreinted)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:06
-	0	(queue\$1 with (id or identi\$6) with path) same (object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:06

-	5	(queue\$1 with (id or identi\$6) with path) & (object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:11
-	91	(queue\$1 with path) & (object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:10
-	0	(queue\$1 with path) same (object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:11
-	0	((queue\$1 with path).ab.) & (object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:11
-	251	((queue\$1 with path).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:11
-	0	(((queue\$1 with path).ab.)) & (object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:11
-	0	(queue\$1 with (id or identi\$6) with path same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:12
-	8	(queue\$1 with path same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:12
-	10	(queue\$1 same path same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:18
-	52	(queue\$1 with indicator same path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:22
-	20	(queue\$1 with indicator same path & class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:23
-	5	((queue\$1 near2 indicator) same path & class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:24
-	16	((queue\$1 near2 indicator) same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:24
-	0	((queue\$1 near2 indicator) with table same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:25

-	16	((queue\$1 near2 indicator) same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:25
-	0	((queue\$1 near2 indicator) same (object near2 orient))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:25
-	9	((queue\$1 near2 indicator) with table & class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:27
-	14	((queue\$1 near2 indicator) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:28
-	436	(queue\$1 & class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:28
-	0	((queue\$1 same class).ab.) & (path near2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:30
-	379	(queue\$1 same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:30
-	1500	((709/310,313,314,315).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:31
-	1	((709/310,313,314,315).CCLS.) & (queue same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:52
-	75	((709/310,313,314,315).CCLS.) & (queue).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:47
-	27	((709/310,313,314,315).CCLS.) & (queue).ab.) & path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:38
-	0	((709/310,313,314,315).CCLS.) & (queue same CORBA).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:47
-	0	((709/310,313,314,315).CCLS.) & (queue & CORBA).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:48
-	11	((709/310,313,314,315).CCLS.) & (queue & shar\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:48

-	0	((709/310,313,314,315).CCLS.) & (queue same table).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:49
-	0	((709/310,313,314,315).CCLS.) & (queue\$1 same table).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:49
-	4	((709/310,313,314,315).CCLS.) & (queue with indicat\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:54
-	117	((709/310,313,314,315).CCLS.) & (queue with indicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:54
-	3	((709/310,313,314,315).CCLS.) & (queue with indicat\$3) same path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:55
-	5	((709/310,313,314,315).CCLS.) & (queue with select\$3) same path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58
-	35	((709/310,313,314,315).CCLS.) & (queue same path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58
-	1	((709/310,313,314,315).CCLS.) & (queue same path).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58
-	14	((709/310,313,314,315).CCLS.) & (queue with path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58